МИНИСТЕРСТВО НА ФИНАНСИТЕ
АГЕНЦИЯ "МИТНИЦИ"
ЦЕНТРАЛНО МИТНИЧЕСКО УПРАВЛЕНИЕ

ИСКАНИЯ ЗА СУСПЕНДИРАНЕ НА МИТАТА ОТ 1 ЮЛИ 2024 г., ПОСТЪПИЛИ В ГЕНЕРАЛНА ДИРЕКЦИЯ "ДАНЪЧНО ОБЛАГАНЕ И МИТНИЧЕСКИ СЪЮЗ" НА ЕВРОПЕЙСКАТА КОМИСИЯ

1. Настоящият документ представя исканията за въвеждане на автономни мерки за суспендиране на митата на определени химически и индустриални стоки, постъпили в определения срок (15 септември 2023 г.) в ГД "Данъчно облагане и митнически съюз" на Европейската комисия. Исканията се разглеждат в Работна група "Икономически тарифни въпроси" на ЕК и се предлагат за одобрение от Съвета на Европейския съюз. Мерките, които касаят, са за пълно или частично суспендиране на митата от 1 юли 2024 г.
2. Тарифните кодове и текстовите описания на стоките могат да претърпят допълнително уточняване. В настоящия документ са описани всички оригинални искания на държавите членки, както и на Република Турция в рамките на митническия съюз ЕС– Турция.
3. Исканията са подредени по възходящ ред съгласно Комбинираната номенклатура на ЕС.
4. Формулярът за възражение срещу искане от този списък се намира на адрес https://customs.bg/wps/portal/agency/home/info-business/customs-activities/suspending.
5. Български производители, които считат, че тези предложения накърняват икономическите им интереси могат да подадат възражения, като използват формуляр, чийто образец се намира на адрес https://customs.bg/wps/portal/agency/home/info-business/customs-activities/suspending.. Срокът за подаване на възражения по нови искания е до 18.12.2023 г. (в Агенция"Митници" – 04.12.2023 г.), а по исканията за продължаване на мерките за суспендирания - до 13.11.2023 г.
6. Коментари по исканията могат да бъдат направени до 18.12.2023 г. за нови искания (в Агенция"Митници" – 04.12.2023 г.) и до 13.11.2023 г. за искания за продължаване на мерките. За целта се използва формулярът за подаване на възражения.

Възраженията и коментарите по исканията за суспендиране на митата, придружени с необходимите мотивационни документи се подават по факс: 02 / 9859 4066.

За допълнителна информация относно суспендирането на митата:
дирекция "Митническа дейност и методология"
02 / 9859 4452 – Бояна Господинова

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
2905 39 95	Pinacole (CAS RN 76-09-5) with a purity by weight of 98 % or more	ИТАЛИЯ	6289722	ново
2912 29 00	Terephtalaldehyde (CAS RN 623-27-8) with a purity by weight of 98 % or more	ФРАНЦИЯ	6174969	ново
2915 90 70	Trifluoroacetic acid (CAS RN 76-05-1) with a purity of 99,8 % and more	ГЕРМАНИЯ	6289623	ново
2918 99 90	2,4-Dichlorphenoxyacedic acid (CAS RN 94-75-7) with a purity by weight of 98 % or more	АВСТРИЯ	6391685	ново
2920 90 10	1,3,2-Dioxathiolane 2,2-dioxide (CAS RN 1072-53-3) with a purity by weight of 99,5 %, or more	УНГАРИЯ	6580292	ново
2924 29 70	-Butyl ((1-aminocyclohexyl)methyl) carbamate acetate with a purity by weight of 98 % or more	ИТАЛИЯ	6325327	ново
2929 90 00	(2*S*)-2-[[2-[2-[2-[2-[2-[2-[2-[2-[2-[2-(2-Azidoethoxy)ethoxy]ethoxy]ethoxy]ethoxy]ethoxy] ethoxy]ethoxy]ethylamino]-2-oxoethoxy]acetyl]amino]-*N*-[4-(hydroxymethyl)phenyl]-6-[[(4-methoxyphenyl)-diphenylmethyl]amino]hexanamide (CAS RN 1224601-12-0) with a purity by weight of 98 % or more	ИСПАНИЯ	6223040	ново
2931 90 00	Trimethylgallium (CAS RN 1445-79-0), with a purity by weight of 99 % or more	НИДЕРЛАНДИЯ	6578434	ново
2931 90 00	4-Phenoxybenzeneboronic acid (CAS RN 51067-38-0) with a purity by weight of 98 % or more	ФРАНЦИЯ	6603965	ново
2931 90 00	Trimethylindium (CAS RN 3385-78-2) with a purity by weight of 99 % or more	НИДЕРЛАНДИЯ	6579872	ново
2932 19 00	2-Methylfuran (CAS RN 534-22-5) with a purity by weight of 98 % or more	БЕЛГИЯ	6256630	ново
2932 19 00	(2*S*,3*S*,4*S*,5*R*)-3-(3,4-Difluoro-2-methoxyphenyl)-4,5-dimethyl-5-(trifluoromethyl)tetrahydrofuran-2-yl-4-nitrobenzoate (CAS RN 2875066-49-0) with a purity by weight of 97 % or more	ИСПАНИЯ	6180825	ново
2932 19 00	Methyl tetrahydro-2-furancarboxylate (CAS RN 37443-42-8) with a purity by weight of 98 % or more	ФРАНЦИЯ	6572935	ново
2932 99 00	Alpha-D-Mannopyranose, 6-acetate 2,3,4-tribenzoate 1-(2,2,2-trichloroethanimidate) (CAS RN 346441-49-4) with a purity by weight of 95 % or more	ФРАНЦИЯ	6572870	ново
2933 19 90	1*H*-Pyrazole (CAS RN 288-13-1) with a purity by weight of 98 % or more	ФРАНЦИЯ	6174913	ново
2933 19 90	1-Methyl-1*H* pyrazol-4-amine (CAS RN 127107-23-7) with a purity by weight of 95 % or more	ИСПАНИЯ	6223174	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
2933 29 90	2-octyl-4,5-dihydro-1H-imidazole (CAS RN 10443-60-4) with a purity by weight of 95 % or more	АВСТРИЯ	6576840	ново
2933 39 99	2-[[[3-Methyl-4-(2,2,2-trifluoroethoxy)pyridin-2-yl]methyl]sulfanyl]1*H*-benzimidazole (CAS RN 103577-40-8) with a purity by weight of 99 % or more	ИТАЛИЯ	6289683	ново
2933 39 99	5-Methyl-2-pyridilamine (CAS RN 1603-41-4) with a purity by weight of 99 % or more	ФРАНЦИЯ	6576760	ново
2933 39 99	1-Methylpiperidin-4-one (CAS RN 1445-73-4), with a purity by weight of 97 % or more	ИТАЛИЯ	6325242	ново
2933 39 99	Tert-butyl *N*-[5-(trifluoromethyl)pyridin-3-yl]carbamate (CAS RN 1187055-61-3) with a purity by weight of 98 % or more	АВСТРИЯ	6471196	ново
2933 39 99	(2*S*,4*S*)-4-Ethoxy-2-[4-(methoxycarbonyl)phenyl]piperidin-1-ium(2*Z*)-3-carboxyprop-2-enoate with a purity by weight of 98,0 % or more	СЛОВЕНИЯ	6612455	ново
2933 59 95	(1*R*,5*S*)-8-Benzyl-3,8-diazabicyclo[3.2.1]octane;4-(4-hydroxyphenyl)phenol (2:1) (CAS RN 2642049-87-2) with a purity by weight of 95 % or more	ИСПАНИЯ	6223117	ново
2933 59 95	2-Chloro-4-methylpyrimidine with a purity by weight of 99 % or more	СЛОВЕНИЯ	6027726	ново
2933 99 80	2-[6-Methyl-2-(4-methylphenyl)imidazo[1,2-a]pyridin-3-yl]acetic acid (zolpidic acid) (CAS RN 189005-44-5) purity by weight of 98 % or more	ЧЕХИЯ	6580773	ново
2934 99 90	2-Chlorothioxanthen-9-one (CAS RN 86-39-5) with a purity by weight of 98 % or more	ЧЕХИЯ	6580649	ново
2934 99 90	Vutrisiran (INN) (CAS RN 1867157-35-4) with a purity by weight of 98 % or more	СЛОВЕНИЯ	6025558	ново
2934 99 90	1-(Tetrahydro-2*H*-pyran-2-yl)-5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1*H*-pyrazole (CAS RN 903550-26-5) with a purity by weight of 98 % or more	ИТАЛИЯ	6518181	ново
2935 90 90	Sodium;[4-chloro-7-[2-[(1*S*)-2-(3,5-difluorophenyl)-1-[[2-[(2*S*,4*R*)-5,5-difluoro-9-(trifluoromethyl)-7,8-diazatricyclo[4.3.0.02,4]nona-1(6),8-dien-7-yl]acetyl]amino]ethyl]-6-(3-methyl-3-methylsulfonylbut-1-ynyl)pyridin-3-yl]-1-(2,2,2-trifluoroethyl)indazol-3-yl]-methylsulfonylazanide (Lenacapavir sodium) (CAS RN 2283356-12-5) with a purity by weight of 98 % or more	ИСПАНИЯ	6181874	ново
2942 00 00	Dimethylamine—borane (1:1) (CAS RN 74-94-2) with a purity by weight of 98 % or more	ИСПАНИЯ	6223253	ново
3204 15 00	Indigo Vat 40 % Solution, Vat Blue 1 reduced (CAS RN 835912-68-0), Na-/K-Salt (CAS RN 894-86-0) (Mix 3:2) 40 % (CAS RN 207692-02-2);	ТУРЦИЯ	6790688	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
	Napthalenesulfonic acid (CAS RN 9084-06-4) 0,5 %; Potassium hydroxide (CAS RN 1310-58-3) polymer with formaldehyde, sodium salt 2,4 %; Sodium hydroxide (FKS) (CAS RN 1310-73-2) 1,6 %; Water (CAS RN 7732-18-5) 55,5 %			
3204 17 00	Colorant C.I. Pigment Yellow 12 (CAS RN 6358–85-6) and preparations based thereon with a colorant C.I. Pigment Yellow 12 content of 21 % or more by weight	ИРЛАНДИЯ	6697748	ново
3207 30 00	Silver containing paste which is used in printing process in the production of solar cells with: - a viscosity of 30 to 420 Pa.s at 10 rpm, - a solid percentage ranges between 59 % and 92 % and a minimum 2 N/mm adhesion strength	ТУРЦИЯ	6794219	ново
3212 90 00	Aluminum paste, which is used in the production of solar cells, - with a viscosity of ranging from 10 to 100 Pa.s at 20 rpm, with a solid percentage ranging from 72 % to 82 %, finess of grind less than 26 microns	ТУРЦИЯ	6483925	ново
3214 10 10	Silicon frame: - in the colors of black and white, - with the density of 1,39± 0,05 g/cm3, - with a tensile strength of 2,0 mPA or more, - with an adhesive time 5-20 minutes used in the manufacture of solar panels with the purpose of sticking the junction box to the panel (2)	ТУРЦИЯ	6794307	ново
3603 50 00	Igniters for gas generators with: - an overall length of 15,5 mm or more but not more than 22,5 mm, - a width of 7,8 mm or more but not more than 21 mm, - a pin length of 6,4 mm or more but not more than 12,6 mm, - a weight of not more than 29 g, a small amount of explosive substances	ПОЛША	6650897	ново
3811 29 00	Additive for lubricating oils consisting of the reaction product of *bis*(dibutylcarbamodithioato)di-μ-oxodioxodi-molydiene with sulfur (CAS RN 68412-26-0)	ГЕРМАНИЯ	6609772	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
3824 99 92	Mixture containing by weight of: - 50 % (+- 1 %) ethylene carbonate (CAS RN 96-49-1) with a purity of 99,9 % or more and 50 % (+- 1 %) 1,3-propanesultone (CAS RN 1120-71-4) with a purity of 99,5 or more	УНГАРИЯ	6597948	ново
3824 99 96	MHP or MSP (Mixed Hydroxide Precipitate) or (Mixed Sulphide Precipitate) containing by weight: - 20 % or more but not more than 60 % nickel, - 0,5 % or more but not more than 10 % cobalt, and not more than 18 % elements such as manganese, iron, magnesium and sodium	ТУРЦИЯ	6795632	ново
3824 99 96	Crude cobalt hydroxide or pre-treated cobalt concentrate containing by weight: - 20 % or more but not more than 50 % of cobalt, - 3 % or more but not more than 15 % nickel, and not more than 15 % elements such as mnganese, iron, magnesium and sodium	ТУРЦИЯ	6795703	ново
3907 29 20	Poly(tetrahydrofuran - with an average molecular weight between 900 Mn and 3600 Mn but not more than 3600 Mn, and - with a purity greater than 95 % a copolymer of tetrahydrofuran and/or tetrahydro-3-methylfuran --- 900 or more, but not more than 3600 (Mn), average molecular weight copolymer of tetrahydrofuran and/or tetrahydro-3-methylfuran (CAS RN 25190-06-1)	ТУРЦИЯ	6484034	ново
3914 90 00	Silicone potting material, - with A and B components, - mixed in certain proportions, - the viscosity of the mixture is in the range of 3 000-6 000 cps, used in solar panel manufacture as an electrical insulations material in the junction box (2)	ТУРЦИЯ	6795981	ново
3919 90 80	Black poly (vinyl chloride) film:	ТУРЦИЯ	6481327	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
	- with a gloss of more than 25 degrees according to ASTM D 2457, whether or not covered on one side with a protective poly(ethyleneterephthalate) film, and on the other side with a pressure sensitive adhesive with channels and a release liner			
3919 90 80	Polytetrafluoroethylene film, - with a thickness of 50 µm or more but not more than 165 µm, - with a width of 6,30 mm or more but not more than 740 mm, - an elongation at break of not more than 200 %, and coated on one side with a pressure sensitive silicone adhesive with a thickness of not more than 50 µm	БЕЛГИЯ	6660963	ново
3926 90 97	Gaskets made of polyethylene foam, produced in the thermoforming process at a temperature of 140 °C or more, but not more than 160 °C, with: - density of 20 kg/m^3 or more, but not more than 40 kg/m^3, - tensile strength of not less than 170 KPa, water absorption coefficient of not greater than 1 %	ПОЛША	6652706	ново
4016 99 52	Hanger of the exhaust muffler consisting of: - a steel bracket with at least one mounting hole and - silent block for use in the manufacture of goods of Chapter 87 (2)	СЛОВАКИЯ	6598076	ново
7009 91 00	(Automotive) Glass chromate mirror of: - a length of 155 mm or more, but not more than 158 mm, - a height of 115 mm or more, but not more than 120 mm, equipped with: - a blind spot sensor with a blind spot motion detection light module, with an edge luminescence greater than or equal to 5000 cd/m^2 and a central luminescence greater than or equal to 7000 cd/m^2, - heater foil, with a resistance of 1,1 kOhm or more, but not more than 1,35 kOhm designed to be mounted in a housing as an exterior vehicle mirror	ПОЛША	6652503	ново
7009 91 00	Unframed chromate glass for the manufacture of automotive mirrors: - of a length of 140 mm or more but not more than 215 mm, - of a height of 104 mm or more but not more than 138 mm,	ПОЛША	6651025	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
	- of a radius of curvature of 0 mm or more but not more than greater than 1 330 mm, - with reflectance greater than 40 %, - aspherical, convex or flat, ready for framing			
7019 90 00	Vacuum insulation panels made of fiberglass for the manufacture of refrigerators and freezers and their combinations	ГЕРМАНИЯ	6262789	ново
8202 99 80	Steel wire covered with diamond grains of 5-55 µm used for cropping and squaring semiconductors with a wire diameter of 45-350 µm, and a breaking strength between 11 and 170 N.	ТУРЦИЯ	6660034	ново
8402 90 00	Pre-assembled process module unit of an ethane cracker unit, containing: - a dilution steam generator system which produces steam from pretreated quench water for use as dilution steam in steam cracking furnaces, - a condensate system that collects, filters and deaerates steam condensates, which are subsequently recycled as boiler feed water and further distributed within the cracker unit, and a flare system that collects, separates and vaporizes non-recyclable hydrocarbon containing releases from different equipment in a steam cracker, and transfers those towards flares	БЕЛГИЯ	6663051	ново
8409 91 00	Carburetor of grass trimmer: - to produce a fuel-air mix that powers a two-stroke engine, - with 2 mounting holes diameter of 31 mm, with a choke bore diameter of 18 mm or more, but not more than 19,05 mm	ПОЛША	6509204	ново
8414 59 25	Axial fans with built-in motor, for the generation of an air flow for the cooling of compressors and the distribution of air with - voltage, when operating with direct current, higher than 10 V but not higher than 14 V, or - voltage, when operating with alternating current, higher than 185 V, but not higher than 254 V, - and operation at an operating temperature of -40° or higher, but not higher than 70° C, for use in the manufacture of heat pump tumble dryers and refrigerators or freezers (2)	ГЕРМАНИЯ	6609413	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
8414 59 35	Electric blower for cooling the battery module with an operating voltage of 9 VDC or more but not more than 16 VDC, comprising: - electric (centrifugal) fan, - connector, - plastic case, - whether or not control unit of fan electric motor, for use in the production of rechargeable **batteries** for hybrid and electric vehicles (2)	СЛОВАКИЯ	6598289	ново
8417 80 50	Pre-assembled process module unit of an ethane cracker unit, containing two steam-cracking furnaces consisting of a radiation section and a convection section to produce ethylene and propylene from ethane	БЕЛГИЯ	6686031	ново
8419 40 00	Pre-assembled process module unit of an ethane cracker unit, containing: - quench water circulation loops, which contain a heat exchanger and circulation pumps to cool and recirculate quench water, - a water purification system, which removes hydrocarbon contaminants from quench water which is then re-used for dilution steam production (outside the module), - a pyrolysis oil purification system, which separates pyrolysis gasoline, heavy oil and coke fractions from the hydrocarbon contaminants that have been removed from the quench water, - an ethane feedstock start-up vaporizer and superheater, which vaporizes and heats ethane feedstock before sending the ethane to the cracking furnaces (outside the module), - a propane feedstock preparation system, which filters, vaporizes and superheats propane feedstock, before sending the propane to cracking furnaces (outside the module), and a chemical grade propylene preparation system, which filters and dries chemical grade propylene before sending it to the deethanizer (outside the module)	БЕЛГИЯ	6663370	ново
8419 50 80	Pre-assembled process module unit of an ethane cracker unit, containing: - an open loop ethylene refrigeration system, which is to be integrated with an external ethylene refrigerant compressor,	БЕЛГИЯ	6686117	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
	- pumps and a heat exchanger to deliver ethylene to an external pipeline, and a closed loop propylene refrigeration system, which is to be integrated with an external propylene refrigerant compressor			
8419 89 98	Pre-assembled process module unit of an ethane cracker unit, containing: equipment associated with an external multi-stage, centrifugal cracked gas compressor which compresses hydrocarbon gases to allow further processing downstream in interconnected equipment containing: - coolers, - vapor-liquid separation drums, and - pumps needed to condense and remove water and heavier hydrocarbons and to avoid undesirable formation of polymer by-products, equipment associated with an external caustic wash tower containing: - caustic water circulation pumps to support an external caustic wash tower in removing acid gasses (carbon dioxide and hydrogen sulphide) from the cracked gas, - a spent caustic pre-treatment system, containing separation drums, pumps and mixers, - a heat exchanger for the pre-cooling of cracked gas, and a separation drum for the removal of water from cracker gas	БЕЛГИЯ	6685918	ново
8467 99 00	Pole hedge trimmer cutting elements: - in the form of hedge trimmer attachment, - with a knife length of 60 cm and teeth opening of 30 mm, - with angle adjustment of the blade, - with integrated single stage gearbox, with a magnesium cast body	ПОЛША	6509387	ново
8479 89 97	Pre-assembled process module unit of an ethane cracker unit, containing: - various distillation columns (depropanizer, debutanizer and degreenoiler) and their associated heat exchangers, pumps and drums, - a chilling train containing heat exchangers and a drum which condenses C2 in a gas stream,	БЕЛГИЯ	6685758	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
	- a system to separate hydrogen and methane from cracked gas containing heat exchangers, drums, turbines, compressors and a hydrogen purification unit (pressure swing adsorption unit), - associated equipment of a C3 splitter distillation column, containing heat exchanger, pumps and drums, and a vinyl acetylene hydrogenation system, containing hydrogenation reactors, filters, mixer, drum, condenser, heat exchangers			
8479 89 97	Pre-assembled process module unit of an ethane cracker unit, containing: - a system for filtering and cooling of dried cracked gas, - a deethanizer distillation column and associated equipment for C2-/C3+ separation, - an acetylene hydrogenation system to remove acetylene within a C2 stream, - a fuel gas drum that stores fuel gas for cracker furnaces, and a system to regenerate dryers in a cracker installation	БЕЛГИЯ	6686336	ново
8483 40 23	Bevel gear: - made of lightweight alloys and steel, - built on straight or helical bevel gears, - with an angle of 30 degrees or more but not more than 90 degrees, with 1:1.3 ratio or more but not more than 1:1.46	ПОЛША	6471403	ново
8483 40 23	Bevel gear: - made of lightweight alloys and steel, - built on straight bevel gears, with an angle of 24 degrees or more but not more than 35 degrees	ПОЛША	6471276	ново
8501 10 99	Direct current actuator with three electrical connectors, with: - 2 brushless motors, - output power not exceeding 37,5 W, - voltage of 10 V or more, but not more than 15 V, - operating temperature range at least - 40 °C or less to 80 °C or more, - minimum vertical and horizontal tilt angles of 20 degrees from the main axis	ПОЛША	6652860	ново
8501 31 00	Brushless DC electric motors:	ПОЛША	6509270	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
	- with a rated power of more than 240 W, but not more than 260 W, - with a voltage of 36 V or higher, but not higher than 52 V - with a torque of 35 Nm or more, but not more than 120 Nm, - with a housing made of aluminum or plastic, - with a built-in controller, - with a communication function in the UART or CAN interface, - weighing 2,25 kg or more, but not more than 3,4 kg, adapted for mounting in a bicycle frame			
8501 31 00	Brushless DC electric motors: - with a rated power of 240 W or more, but not more than 260 W, - with voltage of 36 V or higher, but not higher than 52 V, - with torque of 30 Nm or more, but not more than 50 Nm, - with communication function UART or CAN interface, - with internal planetary gearbox with fixed or variable ratio, - made by CNC machined casting, - with housing made of aluminum, - weighing 2.3 kg or more, but not more than 4.4 kg, adapted for mounting in the front or rear bicycle wheel	ПОЛША	6509321	ново
8503 00 99	Die cast aluminum inner housing of cooling channel system in an electrical motor: - pressure-casted of EN AC-47100 aluminum, - shot-blasted, machined and mechanically cleaned, - leakproof to the degree of 3 ml per minute or less in 2,75 bar pressure, - of hardness of 70HBV 2,5/62.5 or more in the Brinell scale, - of tensile strength of 240N/mm^2 or higher,- with a height of 225mm or more, but not more than 280mm - with a diameter of 300mm or more, but not more than 310mm with a weight of 3,8 kg or more, but not more than 4,9 kg	ПОЛША	6647017	ново
8503 00 99	Die cast aluminum outer housing of an electrical motor: pressure-casted of EN AC-47100 aluminum, - with overmolded bearing sleeves made of martensitic stainless steel and assembled sealing caps of stainless steel,	ПОЛША	6647219	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
	- shot-blasted, machined and mechanically cleaned, - rotor chamber leakproof to the degree of 3 ml per minute or less in 2,75 bar pressure, - of hardness of 70 HBV 2,5/62.5 or more in the Brinell scale, - of tensile strength of 240 N/mm^2 or higher, - with a height of 245 mm or more, but not more than 360 mm - with a width of 360 mm or more, but not more than 525 mm - with a length of 345 mm or more, but not more than 450 mm with a weight of 6,4 kg or more, but not more than 8,3 kg			
8503 00 99	Die cast aluminum rotor cover of cooling channel system in the electrical motor: pressure-casted of EN AC-47100-F aluminum, - with a sealing cap of stainless steel, - shot-blasted, machined and mechanically cleaned, - leakproof to the degree of 1 ml per minute or less in 2,75 bar pressure, - of hardness of 70 HBV 2,5/62.5 or more in the Brinell scale, - of tensile strength of 240 N/mm^2 or higher, - with a height of 50 mm or more, but not more than 55 mm - with a diameter of 109 mm or more, but not more than 112 mm with a weight of 3,9 kg or more but not more than 4,2 kg	ПОЛША	6650648	ново
8505 20 00	Electric clutch: - used in Rider type self-propelled mowers, - transmitting torque from motor shaft to pulley for cutting device, - parameters: 12 V; 3,93 A current or more but not more than 6,86 A, 1,84 Ω resistance or more but not more than 3,05 Ω (operating at 20°C), static torque of 108 Nm or more but not more than 305 Nm	ПОЛША	6471531	ново
8507 60 00	Modules for the assembly of **batteries** of ion lithium electric accumulators - in lithium ferrophosphate technology (LFP) with: - a length of 820 mm or more, but not more than 882 mm, - a width of 390 mm or more, but not more than 655 mm, - a height of 110 mm or more, but not more than 137 mm,	ГЕРМАНИЯ	6609698	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
	- a weight of 60 kg or more, but not more than 165 kg, and a power of 11 300 Wh or more, but not more than 29 360 Wh			
8507 60 00	Lithium-ion rechargeable battery cell with: - a length of 190 mm or more but not more than 380 mm, - a width of 90 mm or more but not more than 150 mm, - a height of 4 mm or more but not more than 15 mm, - a weight 0,1 kg or more but not more than 1,2 kg, - a nominal voltage of 3,0 V or more but not more than 4,0 V, - a nominal capacity not more than of 90 Ah, for use in the manufacture of rechargeable hybrid and electric vehicle batteries (2)	СЛОВАКИЯ	6598010	ново
8507 60 00	Lithium-ion accumulator, with - multiple connected lithium-ion accumulator cells, - charging and monitoring electronics, - a power of 74 Wh or more, but not more than 75 Wh, - in a plastic housing with electrical connection contacts and LC display, for use in the manufacture of cordless vacuum cleaners or for use as a rechargeable power source therefor (2)	ГЕРМАНИЯ	6609601	ново
8511 80 00	Ignition module: - used in two-stroke engines, - made of plastics and non-ferrous metals, electric part protected by epoxy resin	ПОЛША	6471603	ново
8512 20 00	An electrical component with an integrated LED, in an ABS housing, with: - a voltage of 11 V or more, but not more than 15 V, - a circular shape, - 2 terminals, - an outer diameter of the housing of 36 mm or more, but not more than 39 mm, diode voltage of 42 V or more, but not more than 48 V and amperage of 55 mA or more, but not more than 65 mA	ПОЛША	6509491	ново
8537 10 98	Display and control unit for a household kitchen machine consisting of - an electronic circuit with an LC color display with touch-sensitive surface and backlight,	ГЕРМАНИЯ	6609501	ново

ТАРИФЕН КОД	ОПИСАНИЕ НА СТОКАТА	ДЪРЖАВА, ПОДАЛА ИСКАНЕТО	TAXUD	ВИД НА ИСКАНЕТО
	- four LEDs, - two flat ribbon cables with multiple plugs on the rear side, in a plastic housing with snap-in brackets on the rear side and a surrounding seal made of soft plastic			
8544 30 00	Wiring harness for connecting the battery system with the car's control systems, containing: - an input waterproof connector, - four or more output connectors, - two or more plastic clips for attachment for use in the production of rechargeable **batteries** for hybrid and electric vehicles (2)	СЛОВАКИЯ	6598158	ново